

L Number	Hits	Search Text	DB	Time stamp
56	27	((two or dual or multiple or both) near3 active) adj processor	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/16 13:54
57	5	active/active near5 processor	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/16 13:55
59	0	(("6618783").PN.) and bios	USPAT; US-PPGPUB	2004/03/16 16:25
60	1872	"redundant system slot" or rss	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/16 16:25
61	442	(714/11).CCLS.	USPAT; US-PPGPUB	2004/03/16 16:26
62	2	((714/11).CCLS.) and ("redundant system slot" or rss)	USPAT; US-PPGPUB	2004/03/16 16:27
63	9016	(active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/16 16:28

78	304	<p>(US-20030182483-\$ or US-20030182411-\$ or US-20030182330-\$ or US-20030182326-\$ or US-20030182325-\$ or US-20030182322-\$ or US-20030182313-\$ or US-20030182433-\$ or US-20030182423-\$ or US-20030208511-\$ or US-20030206521-\$ or US-20030206463-\$ or US-20030206457-\$ or US-20030206049-\$ or US-20030205938-\$ or US-20030204751-\$ or US-20030204695-\$ or US-20030204609-\$ or US-20030204516-\$ or US-20030204420-\$ or US-20030203722-\$ or US-20030202652-\$ or US-20030202645-\$ or US-20030202564-\$ or US-20030202520-\$ or US-20030202510-\$).did. or (US-20030202466-\$ or US-20030202407-\$ or US-20030201757-\$ or US-20030200797-\$ or US-20030200473-\$ or US-20030200463-\$ or US-20030200330-\$ or US-20030198243-\$ or US-20030198214-\$ or US-20030198180-\$ or US-20030198108-\$ or US-20030198099-\$ or US-20030198098-\$ or US-20030198033-\$ or US-20030197544-\$ or US-20030197540-\$ or US-20030196126-\$ or US-20030196052-\$ or US-20030195903-\$ or US-20030195462-\$ or US-20030193993-\$ or US-20030193963-\$ or US-20030193958-\$ or US-20030193922-\$ or US-20030193891-\$ or US-20030193824-\$ or US-20030212393-\$).did. or (US-20030212364-\$ or US-20030211870-\$ or US-20030211679-\$ or US-20030210705-\$ or US-20030210600-\$ or US-20030210592-\$ or US-20030208766-\$ or US-20030208750-\$ or US-20030208725-\$ or US-20030208704-\$ or US-20030208618-\$ or US-20030208596-\$ or US-20030187927-\$ or US-20030187802-\$ or US-20030187544-\$ or US-20030185078-\$ or US-20030182588-\$ or US-20030188051-\$ or US-20030187525-\$ or US-20030186099-\$ or US-20030185376-\$ or US-20030185283-\$ or US-20030185225-\$ or US-20030185088-\$ or US-20030187934-\$ or US-20040012518-\$ or US-20040012456-\$).did. or (US-20040012397-\$ or US-20040012265-\$ or US-20030188126-\$ or US-20040013023-\$ or US-20040013005-\$ or US-20040012584-\$ or US-20030191431-\$ or US-20030189897-\$ or US-20030189869-\$ or US-20030189868-\$ or US-20030189859-\$ or US-20030189852-\$ or US-20030189221-\$ or US-20030188241-\$ or US-20030188233-\$ or US-20030188222-\$ or US-20030188218-\$ or US-20030188212-\$ or US-20030188208-\$ or US-20030191823-\$ or US-20030191565-\$ or US-20040041582-\$ or US-20040039947-\$ or US-20040039745-\$ or US-20040039718-\$ or US-20040038681-\$ or US-20040037611-\$).did. or (US-20040037566-\$ or US-20040037556-\$ or US-20040037298-\$ or US-20040037290-\$ or US-20040037151-\$ or US-20040037148-\$ or US-20040036603-\$ or US-20040036601-\$ or US-20040035573-\$ or US-20040035466-\$ or US-20040034871-\$ or US-20040034689-\$ or US-20040032772-\$ or US-20040032334-\$ or US-20040032319-\$ or US-20040031030-\$ or US-20040030766-\$ or US-20040030496-\$ or US-20040015566-\$ or US-20040015273-\$ or US-20040017711-\$ or US-20040019563-\$ or US-20040015132-\$ or US-20040014505-\$ or US-20040014494-\$ or US-20040014467-\$ or US-20040014268-\$).did. or (US-20040015683-\$ or US-20040016429-\$ or US-20040015731-\$ or US-20040017690-\$ or US-20040015668-\$ or US-20040015640-\$ or US-20030218982-\$ or US-20030218916-\$ or US-20030218497-\$ or US-20030218494-\$ or </p>	US-PGPUB	2004/03/16 16:28
Search History	3/16/2004 10:27:28 PM			
C:\APPS\EAST\Workspaces\09967036 Dual System Masters.wsp	US-20030218982-\$ or US-20030218916-\$ or US-20030218497-\$ or US-20030218494-\$ or			

79	28	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and ("redundant system slot" or rss)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 16:31
80	535	("redundant system slot" or rss) and processor	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 16:31
81	187	((("redundant system slot" or rss) and processor) and bus	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 16:32
82	134	((("redundant system slot" or rss) and processor) and bus) and (fault or interrupt or fail\$7)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 17:45
95	357	(714/2).CCLS.	USPAT; US_PGPUB	2004/03/16 17:45
96	219	((714/2).CCLS.) and processor	USPAT; US_PGPUB	2004/03/16 17:46
97	132	((714/2).CCLS.) and processor) and bus	USPAT; US_PGPUB	2004/03/16 17:47
58	1	("6618783").PN.	USPAT; US_PGPUB	2004/03/16 18:02
98	0	6618783.URPN.	USPAT	2004/03/16 18:02
99	9	("5834856" "5978932" "6035355" "6112271" "6138247" "6161197" "6209051" "6351452" "6425094").PN.	USPAT	2004/03/16 18:02
-	1	((714/11).CCLS.) and ("active mode" and "backup mode")	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 16:26
-	48	"active mode" and "backup mode"	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 15:20
-	146	(active near2 mode) and ((back-up or backup or "back up") near2 mode)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 15:23
-	2	((714/11).CCLS.) and ((active near2 mode) and ((back-up or backup or "back up") near2 mode))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:39
-	439	(714/11).CCLS.	USPAT; US_PGPUB	2004/03/15 15:22
-	2354	(active near2 mode) and ((back-up or backup or "back up" or standby or "stand by" or stand-by) near2 mode)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 15:24
-	89	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and ((714/11).CCLS.)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:14
-	538	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and boot	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 16:14

	49	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and boot) and split and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 16:15
	0	("111and110").PN.	USPAT; US-PGPUB	2004/03/15 16:15
	1	"cluster mode" and "split mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 16:18
	532	cluster near25 split	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 16:18
	1	"cluster-in-a-box"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 17:21
	386	"split bus"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 17:26
	1	((714/11).CCLS.) and "split bus"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 17:27
	356	(714/2).CCLS.	USPAT; US-PGPUB	2004/03/15 17:28
	21	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and ((714/2).CCLS.)	USPAT; US-PGPUB	2004/03/15 17:33
	11687	(714/1-57).CCLS.	USPAT; US-PGPUB	2004/03/15 17:34
	541	((714/1-57).CCLS.) and ((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by))	USPAT; US-PGPUB	2004/03/15 17:36
	1	((714/1-57).CCLS.) and ((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and (cluster near25 split)	USPAT; US-PGPUB	2004/03/15 17:35
	1	((714/1-57).CCLS.) and ((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and (cluster near25 split)) and boot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 17:48
	1037	split same cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 17:49
	27	(split same cluster) and ((714/1-57).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/15 18:01
	356	(714/2).CCLS.	USPAT; US-PGPUB	2004/03/15 18:01
	21	((714/2).CCLS.) and ((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by))	USPAT; US-PGPUB	2004/03/15 18:05
	1092	(710/305).CCLS.	USPAT; US-PGPUB	2004/03/15 18:06
	11	((710/305).CCLS.) and ((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by))	USPAT; US-PGPUB	2004/03/15 18:12

-	306	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and bios	USPAT; US-PGPUB	2004/03/15 18:13
-	2	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and bios and ((714/11).CCLS.)	USPAT; US-PGPUB	2004/03/15 18:16
-	3150	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by))	EPO; JPO; DERWENT; IBM_TDB	2004/03/15 18:17
-	1	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and bios	EPO; JPO; DERWENT; IBM_TDB	2004/03/15 18:18
-	389	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and processor	EPO; JPO; DERWENT; IBM_TDB	2004/03/15 18:19
-	36	((active) near15 (back-up or backup or "back up" or standby or "stand by" or stand-by)) and processor) and redundant\$5	EPO; JPO; DERWENT; IBM_TDB	2004/03/15 18:19